

Wrappers

An Impressive Selection of Precision-Engineered Performers Built for Every Need and Budget



Shanklin Semi-Automatic L-Sealers

Shanklin Models S-24B, S-24BL, S-26

The Shanklin Semi-Automatic L-Sealers are built for applications that require packaging line speeds approaching those of fully automatic sealers, but where equipment cost is a factor or where the product does not lend itself to automatic handling. All models feature automatic sealing cycle, automatic package discharge, EZ load unwind. The model S-24BL is an opposite hand feed with line operation feeding from left to right.

- Simple—Easy to set up and maintain
- Rugged—Ensures years of efficiency
- Versatile—Easy to operate; easy to change over
- Innovative—Available with new SmartWire system that extends wire life and increases operator efficiency

Shanklin Automatic L-Sealers


Shanklin Models A-26A, A-27A, A-28A

Meet the Shanklin "A" Team...a lineup of automatic L-Sealers designed to meet countless wrapping challenges! With their compact design, gentle product feed, and straight line product flow, these machines are ideally suited for handling a wide variety of products. All feature conveyor-fed automatic operation plus the L-Seal design that provides great flexibility and quick product change. Models A-26A and A-27A are capable of processing up to 35 packages per minute (45 with high speed gearing) and are available in USDA-approved models.

- Tough—Rugged construction ensures years of durable performance
- Reliable—Equipped with programmable controllers for simplicity of wiring and ease of troubleshooting; facilitates easy machine set-up and adjustment
- Flexible—Photoelectric sensor system automatically compensates for package length change; automatic film advance system allows light, flexible products to be fed through the machine with ease
- Versatile—Designed and built for maximum versatility; incorporating easy product and size changeover
- A-28A—Features adjustable height seal jaws designed for products too large to fit through the A-26A or A-27A; equipped with heavy-duty discharge conveyor to wrap much heavier product than most automatic L-Sealers can handle

Shanklin Semi-Automatic L-Sealer Series

Shanklin Automatic L-Sealer Series



Form-Fill-Seal Wrappers

The Shanklin FloWrap Series

Fully automatic Shanklin FloWrap machines are continuous motion horizontal form-fill-sealers designed to wrap packages effortlessly and efficiently. Models F-1, F-5 and F-7 wrap product with neat trim seals on three sides of the package. Models F-3 and F-4 produce packages with trim seals on the ends of the package and a neat overlap seam on the bottom. Models F-1, F-3, F-4 and F-5 are available in USDA-approved models.

- Fully automatic operation—For maximum speed and efficiency; runs equally well at both high and low speeds
- Versatile—Handles irregular shapes; numerous features and options allow customization to application
- Solid performance—Produces 50-75 packages per minute (depending on application)
- Easy to use—Programmable controller with user-friendly touch-screen control panel for ease of operation and self-diagnostics
- F-1 and F-3—Features belt infeed that accepts intermittently delivered and randomly spaced product, setting the correct spacing by controlling the infeed belt speeds
- F-4 and F-5—Similar to F-1 and F-3, but with a flighted lug infeed conveyor that facilitates higher operating speeds
- F-7—Similar to F-1, but larger in capacity and designed with heavy-duty conveyors to accommodate larger, heavier product

The Shanklin Triumph® TR-1

The Shanklin Triumph automatic form-fill-seal wrapper is a perfect midrange solution for all those applications that require more advanced features than an L-Sealer, but not quite as complex as those on a High-Speed Automatic Wrapper. Proudly made in the USA, packed with a huge list of standard features and very affordably priced, the Shanklin Triumph is easily one of the best shrink packaging values available on the market today.

- Flexible—Generates product spacing on the fly
- Fast—Can process up to 60 packages per minute
- Versatile—Maintains the right-to-left product flow direction of an L-Sealer but can be operated from either side
- Easy setup—Product changeover facilitated by digital read-outs and up to 25 package parameter recipes
- Easy to use—Fully automatic operation; user-friendly touch-screen interface, reduced operator training time
- Compact—Drop in replacement for most L-Sealers (footprint approx. 5 x 8 feet)
- Reduced downtime—On-board diagnostics, plug-and-play/modular construction

Shanklin FloWrap Series

Shanklin Triumph



BUSINESS CARD GOES HERE



Shanklin High Speed Automatic Wrappers

The Shanklin Hy-Speed Series

The Shanklin Hy-Speed Series are top-of-the-line machines that give you the speed and flexibility you need to meet evolving production demands. Side-sealing models HS-1 and HS-3 and overlap-sealing models HS-2 and HS-4 offer a multitude of features, including fully automatic product handling, speeds from 100 to 180 packages per minute, and the ability to accommodate a wide range of product lengths and shapes. All are available in USDA-approved models.

- Excellent value—The fastest, most versatile high-speed wrappers for the price!
- Smooth operation—Features fully automatic continuous flow operation
- Easy to use—Simple to set up and maintain; designed for quick, easy size changeovers; features user-friendly color touch screen controls
- Built to last—Rugged 3/4-inch-thick aluminum frame
- Versatile—Runs equally well at both high and low speeds; capable of handling a wide range of packages; can be used with virtually any type of film (depending on sealing system)
- Innovative—Features new SmartWire system that extends wire life and increases operational efficiency
- Customizable—Wide variety of options and accessories allow you to customize your Hy-Speed wrapper precisely to your application

The Shanklin Horizon®

The Shanklin Horizon represents the next generation of high speed automatic wrappers, offering a remarkably fast packages-per-minute speed in an efficient, scaled-down design. Available in two models: The Horizon Model R-1 offers a beaded side seal, and the Horizon Model R-2 offers a bottom lap seal.

- Fast—Automatic high-speed operation processes 200 to 300 packages per minute depending on product length and film speed
- Flexible—Easy to operate, easy to maintain, and easy to change over from one size to another
- Easy Setup—Rapid product changeover facilitated by 25 product parameter recipes
- Versatile—Runs equally well at both high and low speeds
- Compact—Higher speed performance in a smaller footprint
- Robust—More durable than comparable systems currently available

Shanklin Horizon Series

Shanklin Hy-Speed Series



Shanklin Wrappers...Ready to take on your toughest shrink-packaging challenges!



QUALITY. PERFORMANCE. DEPENDABILITY.

- **Versatile**—With a wide range of models to choose from, each with numerous features and options, there's a Shanklin Wrapper just right for your application
- **Unsurpassed quality**— Legendary Shanklin quality is built right in to every machine we manufacture
- **Guaranteed performance**—All Shanklin wrappers come with a two-year warranty...our continued assurance of quality!



The Shanklin Tradition of Excellence

When you purchase a Shanklin machine, you get more than simply a piece of high-performance shrink-packaging equipment. You also gain invaluable benefits from our decades of experience and dedication to excellence in the design and manufacture of our products. It's a proud tradition of quality that comes shining through in the remarkable performance, maximized ease of operation, and long-lasting durability we build into every Shanklin machine. Put one on your line and you'll soon see the difference Shanklin can make!

OUR PRODUCTS PROTECT YOUR PRODUCTS®



Impact™ High Strength Shrink Film

- Great for uniform-sized, lightweight products
- Longer rolls mean fewer changeovers, less downtime
- Superior optics for unsurpassed shelf appeal



CorTuff® high abuse film

- Strongest impact strength available – ideal for heavy, odd shaped products
- Can replace bulkier packaging materials
- Can be used as primary shipping media



Equipment systems support

- Feasibility studies of proposed equipment
- Custom-built shrink packaging systems
- Equipment installation, training and ongoing technical support



MPD High Speed Films

- Designed to run at speeds up to 200 ppm
- Unparalleled clarity
- Provides the strongest lap seal available



Xenith™ Soft Shrink Film

- Perfect for softer items like printed paper goods
- Super low shrink force prevents distortion
- Runs on a wide variety of equipment



Consultative Services

- Package concept development
- Film selection assistance
- Packaging line audits and economic analysis

Sealed Air

Shrink Packaging Division
100 Westford Road
Ayer, Massachusetts 01432
978-772-3200 Fax: 978-772-5660
www.shanklincorp.com

Our Products Protect Your Products®

Distributed by:



904, PRAGATI TOWER, 26, RAJENDRA PLACE,
New Delhi-110 008 FAX : 91-11-25751872
PH.: 25711757,25718363,25739438,25743910
Website : www.vibgyorinternational.com
E-mail : vibgyor@bol.net.in
info@vibgyorinternational.com

Corporate Offices: Sealed Air Corporation
Park 80 East, Saddle Brook, NJ 07663 www.sealedair.com

® Reg. U.S. Pat. Off. © Sealed Air Corporation 1/2004. Shanklin, the Shanklin logo, and Shanklin Edge are registered trademarks of the Shanklin Corporation. All Rights Reserved. Printed in the U.S.A.